

Statistical Properties of Text


Jaime Arguello

INLS 509: Information Retrieval

jarguell@email.unc.edu

September 12, 2016

The Basic IR Process



Text-Processing

Gerard Salton (8 March 1927 in [Nuremberg](/wiki/Nuremberg "Nuremberg") - 28 August 1995), also known as Gerry Salton, was a Professor of [Computer Science](/wiki/Computer_Science "Computer Science") at [Cornell University](/wiki/Cornell_University "Cornell University"). Salton was perhaps the leading computer scientist working in the field of [information retrieval](/wiki/Information_retrieval "Information retrieval") during his time. His group at Cornell developed the [SMART Information Retrieval System](/wiki/SMART_Information_Retrieval_System "SMART Information Retrieval System"), which he initiated when he was at Harvard.

- Mark-up removal
- Down-casing
- Tokenization

Text-Processing

gerard salton 8 march 1978 in nuremberg 28 august 1995 also know as gerry salton was professor of computer science at cornell university salton was perhaps the leading computer scientist working in the field of information retrieval during his time his group at cornell developed the smart information retrieval system which he initiated when he was at harvard

- Our goal is to describe content using content
- Are all these words equally descriptive?
- What are the most descriptive words?
- How might a computer identify these?

Statistical Properties of Text

- We know that language use is very varied
- There are many ways to convey the same information (which makes IR difficult)
- But, are there statistical properties of word usage that are predictable? Across languages? Across modalities? Across genres?

IMDB Corpus

internet movie database

- Each document corresponds to a movie, a plot description, and a list of artists and their roles
 - ▶ number of documents: **230,721**
 - ▶ number of term occurrences (tokens): **36,989,629**
 - ▶ number of unique terms (token-types): **424,035**

<http://www.imdb.com/>

IMDB Corpus

term-frequencies

rank	term	frequency	rank	term	frequency
1	the	1586358	11	year	250151
2	a	854437	12	he	242508
3	and	822091	13	movie	241551
4	to	804137	14	her	240448
5	of	657059	15	artist	236286
6	in	472059	16	character	234754
7	is	395968	17	cast	234202
8	i	390282	18	plot	234189
9	his	328877	19	for	207319
10	with	253153	20	that	197723


IMDB Corpus

term-frequencies

rank	term	frequency	rank	term	frequency
21	on	180760	31	their	116803
22	as	150721	32	they	116113
23	by	138580	33	has	113336
24	himself	138214	34	him	112589
25	but	134017	35	when	106723
26	she	132237	36	I	100475
27	who	132151	37	are	99544
28	an	129717	38	it	98455
29	from	122086	39	man	87115
30	at	118190	40	ii	80583

IMDB Corpus

term-frequencies



term frequency
decreases rapidly
as a function of
rank!



George Kingsley Zipf



Zipf's Law

- Term-frequency decreases rapidly as a function of rank
- How rapidly?
- Zipf's Law:

$$f_t = \frac{k}{r_t}$$

- f_t = frequency (number of times term t occurs)
- r_t = frequency-based rank of term t
- k = constant (specific to the collection)
- To gain more intuition, let's divide both sides by N , the total term-occurrences in the collection

Zipf's Law

$$\frac{1}{N} \times f_t = \frac{1}{N} \times \frac{k}{r_t}$$

$$P_t = \frac{c}{r_t}$$

- P_t = proportion of the collection corresponding to term t
- c = constant
- For English $c = 0.1$ (more or less)
- What does this mean?

Zipf's Law

$$P_t = \frac{c}{r_t} \quad c = 0.1$$

- The most frequent term accounts for 10% of the text
- The second most frequent term accounts for 5%
- The third most frequent term accounts for about 3%
- Together, the top 10 account for about 30%
- Together, the top 20 account for about 36%
- Together, the top 50 account for about 45%
 - ▶ that's nearly half the text!
- What else does Zipf's law tell us?

Zipf's Law

- With some crafty manipulation, it also tells us that the fraction of terms that occur n times is given by:

$$\frac{1}{n(n+1)}$$

- So, what fraction of the terms occur only once?

Zipf's Law

- With some crafty manipulation, it also tells us that the fraction of terms that occur n times is given by:

$$\frac{1}{n(n+1)}$$

- About half the terms occur only once!
- About 75% of the terms occur 3 times or less!
- About 83% of the terms occur 5 times or less!
- About 90% of the terms occur 10 times or less!

Zipf's Law

- Note: the fraction of terms that occur n times or less is given by:

$$\sum_i^n \frac{1}{i(i+1)}$$

- That is, we have to add the fraction of terms that appear 1, 2, 3, ... up to n times

Verifying Zipf's Law

visualization

Zipf's Law

$$f = \frac{k}{r}$$

... still Zipf's Law

$$\log(f) = \log\left(\frac{k}{r}\right)$$

... still Zipf's Law $\log(f) = \log(k) - \log(r)$

- So, Zipf's law holds, what would we see if we plotted $\log(f)$ vs. $\log(r)$?

Verifying Zipf's Law

visualization

Zipf's Law

$$f = \frac{k}{r}$$

... still Zipf's Law

$$\log(f) = \log\left(\frac{k}{r}\right)$$


... still Zipf's Law $\log(f) = \log(k) - \log(r)$

- If Zipf's law holds true, we should be able to plot $\log(f)$ vs. $\log(r)$ and see a straight line with a slope of -1



Zipf's Law

IMDB Corpus




Does Zipf's Law generalize across languages?



Zipf's Law

European Parliament: English





- Transcribed speech from proceedings of the European Parliament (Koehn '05)



Zipf's Law


European Parliament: Spanish





Zipf's Law


European Parliament: Italian





Zipf's Law


European Parliament: Portuguese





Zipf's Law


European Parliament: German





Zipf's Law


European Parliament: Finnish





Zipf's Law

European Parliament: Hungarian




Yes, but these texts are translations of
the same content!

What about different texts?
different topics?
different genres?
different sizes?
different complexity?



Zipf's Law

Alice in Wonderland




(text courtesy of Project Gutenberg)



Zipf's Law

Peter Pan




(text courtesy of Project Gutenberg)




Zipf's Law

Moby Dick




(text courtesy of Project Gutenberg)




Zipf's Law

War and Peace




(text courtesy of Project Gutenberg)




Zipf's Law

On the Origin of Species




(text courtesy of Project Gutenberg)



Zipf's Law

Relativity: The Special and General Theory




(text courtesy of Project Gutenberg)



Zipf's Law

The King James Bible



(text courtesy of Project Gutenberg)

Zipf's Law

- Zipf's Law holds true for:
 - ▶ different sizes of text
 - ▶ different genres
 - ▶ different topics
 - ▶ different complexity of content
 - ▶ different languages

Implications of Zipf's Law (1)

gerard salton 8 march 1978 in nuremberg 28 august 1995 also know as gerry salton was professor of computer science at cornell university salton was perhaps the leading computer scientist working in the field of information retrieval during his time his group at cornell developed the smart information retrieval system which he initiated when he was at harvard


- The most descriptive words are those that do not appear in every document
- Most retrieval models exploit this idea
- Example: (gerard **OR** salton **OR** at **OR** cornell)
- Zipf's law allows us to automatically identify these non-descriptive terms and treat them differently

Implications of Zipf's Law (2)


- Ignoring the most frequent terms greatly reduces the size of the index
- The top 50 accounts for about 45% of the collection
- These have very long inverted lists
- **Warning:** these words can be important in combination with others (e.g., in proximity operators)
- **Example queries:** “to be or not to be”, “the who”, “state of the union”, “it had to be you”

Implications of Zipf's Law (3)

- Ignoring the most frequent terms can improve retrieval efficiency (response time)
- The most frequent terms have long inverted lists
- **Alternative:** leave them in the index and remove them from the query, unless they occur in a proximity operator



Google search interface showing the query "+salton". The search bar contains the text "+salton". Below the search bar, it displays "About 6,670,000 results (0.09 seconds)". To the right of the search bar is a blue search button with a magnifying glass icon and the text "Advanced search".



Google search interface showing the query "+the". The search bar contains the text "+the". Below the search bar, it displays "About 25,270,000,000 results (0.27 seconds)". To the right of the search bar is a blue search button with a magnifying glass icon and the text "Advanced search".

Implications of Zipf's Law (4)

- Ignoring the most frequent terms can improve retrieval effectiveness
- Very frequent terms may not be related to the main content of the doc, but may be a “quirk” of the corpus


rank	term	frequency	rank	term	frequency
1	the	1586358	11	year	250151
2	a	854437	12	he	242508
3	and	822091	13	movie	241551
4	to	804137	14	her	240448
5	of	657059	15	artist	236286
6	in	472059	16	character	234754
7	is	395968	17	cast	234202
8	i	390282	18	plot	234189
9	his	328877	19	for	207319
10	with	253153	20	that	197723

Implications of Zipf's Law (5)

- We've talked about Zipf's Law in the collection
- What about Zipf's Law in queries issued to the search engine?

Implications of Zipf's Law (5)

AOL Query Log



Implications of Zipf's Law (5)

- **Same trend:** a few queries occur very frequently, while most occur very infrequently
- **Opportunity:** the system can be tweaked to do well on those queries it is likely to “see” again and again
- **Curse:** this is only a partial solution.
- In Web search, about half the queries ever observed are unique
- How does this affect evaluation?

Implications of Zipf's Law

- Given Zipf's Law, as a collection grows, how will the size of the vocabulary grow?

Vocabulary Growth and Heaps' Law

- The number of new words decreases as the size of the corpus increases

- Heaps' Law:


$$v = k \times n^{\beta}$$

- v = size of the vocabulary (number of unique words)
- n = size of the corpus (number of word-occurrences)
- k = constant ($10 \leq k \leq 100$)
 - ▶ not the same as k in Zipf's law
- \mathbf{B} = constant ($\mathbf{B} \approx 0.50$)



Heaps' Law

IMDB Corpus



Heaps' Law

- As the corpus grows, the number of new terms will increase dramatically at first, but then will increase at a slower rate
- Nevertheless, as the corpus grows, new terms will always be found (even if the corpus becomes huge)
 - ▶ there is no end to vocabulary growth
 - ▶ invented words, proper nouns (people, products), misspellings, email addresses, etc.

Implications of Heaps' Law

- Given a corpus and a new set of data, the number of new index terms will depend on the size of the corpus
- Given more data, new index terms will always be required
- This may also be true for controlled vocabularies (?)
 - ▶ Given a corpus and a new set of data, the requirement for new concepts will depend on the size of the corpus
 - ▶ Given more data, new concepts will always be required

Term Co-occurrence

- So far, we've talked about statistics for single terms
- What about statistics for pairs of terms?
- Term co-occurrence considers the extent to which different terms tend to appear together in text
- Does knowledge that one term appears, tell us whether another term is likely to appear?


Term Co-occurrence Example

war vs. peace



Books Ngram Viewer

Graph these **case-sensitive** comma-separated phrases:
between and from the corpus with smoothing of .



(The Google Books N-gram Corpus)

Term Co-occurrence Example


chocolate vs. vanilla



Books Ngram Viewer

Graph these **case-sensitive** comma-separated phrases:

between and from the corpus with smoothing of .



(The Google Books N-gram Corpus)

A Few Important Concepts in Probability Theory and Statistics

(Some material courtesy of Andrew Moore:
<http://www.autonlab.org/tutorials/prob.html>)

Discrete Random Variable

- A is a discrete random variable if:
 - ▶ A describes an event with a finite number of possible outcomes (discrete vs continuous)
 - ▶ A describes an event whose outcome has some degree of uncertainty (random vs. pre-determined)
- A is a boolean-valued random variable if it describes an event with two outcomes: **TRUE** or **FALSE**
- Can you name some examples of boolean-valued random variables?

Boolean-Valued Random Variables

Examples

- A = it will rain tomorrow
- A = the outcome of a coin-flip will be heads
- A = the fire alarm will go off sometime this week
- A = The US president in 2023 will be female
- A = you have the flu
- A = the word “retrieval” will occur in a document

Probabilities

- **$P(A=TRUE)$** : the probability that the outcome is **TRUE**
 - ▶ the probability that it will rain tomorrow
 - ▶ the probability that the coin will show “heads”
 - ▶ the probability that “retrieval” appears in the doc
- **$P(A=FALSE)$** : the probability that the outcome is **FALSE**
 - ▶ the probability that it will NOT rain tomorrow
 - ▶ the probability that the coin will show “tails”
 - ▶ the probability that “retrieval” does NOT appear in the doc

Estimating the Probability of an Outcome

- $P(\text{heads}=\text{TRUE})$
- $P(\text{rain tomorrow}=\text{TRUE})$
- $P(\text{alarm sound this week}=\text{TRUE})$
- $P(\text{female pres. 2023}=\text{TRUE})$
- $P(\text{you have the flu}=\text{TRUE})$
- $P(\text{“retrieval” in a document}=\text{TRUE})$

Statistical Estimation

- Use data to estimate the probability of an outcome
- Data = observations of previous outcomes of the event
- What is the probability that the coin will show “heads”?
- Statistical Estimation Example:



Statistical Estimation

- Use data to estimate the probability of an outcome
- Data = observations of previous outcomes of the event
- What is the probability that the coin will show “heads”?
- **Statistical Estimation Example:**
 - ▶ To gather data, you flip the coin 100 times
 - ▶ You observe 54 “heads” and 46 “tails”
 - ▶ What would be your estimation of **$P(\text{heads}=\text{TRUE})$** ?

Statistical Estimation

- What is the probability that it will rain tomorrow?
- Statistical Estimation Example:
 - ▶ To gather data, you keep a log of the past 365 days
 - ▶ You observe that it rained on 93 of those days
 - ▶ What would be your estimation of $P(\text{rain}=\text{TRUE})$?

Statistical Estimation

- What is the probability that “retrieval” occurs in a document?
- Statistical Estimation Example:
 - ▶ To gather data, you take a sample of 1000 documents
 - ▶ You observe that “retrieval” occurs in 2 of them.
 - ▶ What would be your estimation of $P(\text{“retrieval” in a document}=\text{TRUE})$?
- Usually, the more data, the better the estimation!

Joint and Conditional Probability

- For simplicity, $P(A=TRUE)$ is typically written as $P(A)$
- $P(A,B)$: the probability that event A and event B both occur
- $P(A|B)$: the probability that event A occurs given prior knowledge that event B occurs

Chain Rule

- $P(A, B) = P(A|B) \times P(B)$
- Example:
 - ▶ probability that it will rain today and tomorrow =
 - ▶ probability that it will rain today \times
 - ▶ probability that it will rain tomorrow given prior knowledge that it rained today

Independence

- Events **A** and **B** are independent if:

$$P(A,B) = P(A|B) \times P(B) = P(A) \times P(B)$$

Always true!
(Chain Rule)

Only true if **A**
and **B** are
independent

- Events **A** and **B** are independent if the outcome of **A** tells us nothing about the outcome of **B** (and vice-versa)
- Can you think of examples of two events that are (in)dependent?

Independence

- Suppose **A** = rain tomorrow and **B** = rain today
 - ▶ Are these likely to be independent?
- Suppose **A** = rain tomorrow and **B** = fire-alarm today
 - ▶ Are these likely to be independent?

Mutual Information

$$MI(w_1, w_2) = \log \left(\frac{P(w_1, w_2)}{P(w_1)P(w_2)} \right)$$

- $P(w_1, w_2)$: probability that words w_1 and w_2 both appear in a text
- $P(w_1)$: probability that word w_1 appears in a text, with or without w_2
- $P(w_2)$: probability that word w_2 appears in a text, with or without w_1
- The definition of “a text” is up to you (e.g., a sentence, a paragraph, a document)

Mutual Information

$$MI(w_1, w_2) = \log \left(\frac{P(w_1, w_2)}{P(w_1)P(w_2)} \right)$$

- If $P(w_1, w_2) = P(w_1) P(w_2)$, it means that the words are independent: knowing that one appears conveys no information that the other one appears
- If $P(w_1, w_2) > P(w_1) P(w_2)$, it means that the words are not independent: knowing that one appears makes it more probable that the other one appears

Mutual Information

estimation (using documents as units of analysis)

	word w_1 appears	word w_1 does not appear
word w_2 appears	a	b
word w_2 does not appear	c	d

every document
falls under one
of these
quadrants

total # of documents
 $N = a + b + c + d$

$$P(w_1, w_2) = ?$$

$$P(w_1) = ?$$

$$P(w_2) = ?$$

Mutual Information

estimation (using documents as units of analysis)

	word w_1 appears	word w_1 does not appear
word w_2 appears	a	b
word w_2 does not appear	c	d

every document
falls under one
of these
quadrants

total # of documents
 $N = a + b + c + d$

$$P(w_1, w_2) = a / N$$

$$P(w_1) = (a + c) / N$$

$$P(w_2) = (a + b) / N$$

Mutual Information

IMDB Corpus

- Word-pairs with highest mutual information (1-20)

w1	w2	MI	w1	w2	MI
francisco	san	6.619	dollars	million	5.437
angeles	los	6.282	brooke	rick	5.405
prime	minister	5.976	teach	lesson	5.370
united	states	5.765	canada	canadian	5.338
9	11	5.639	un	ma	5.334
winning	award	5.597	nicole	roman	5.255
brooke	taylor	5.518	china	chinese	5.231
con	un	5.514	japan	japanese	5.204
un	la	5.512	belle	roman	5.202
belle	nicole	5.508	border	mexican	5.186

Mutual Information

IMDB Corpus

- Word-pairs with highest mutual information (20-40)

w1	w2	MI	w1	w2	MI
belle	lucas	5.138	brooke	eric	4.941
nick	brooke	5.136	serial	killer	4.927
loved	ones	5.116	christmas	eve	4.911
hours	24	5.112	italy	italian	4.909
magazine	editor	5.103	un	l	4.904
e	fianc	5.088	photo	shoot	4.866
newspaper	editor	5.080	ship	aboard	4.856
donna	brooke	5.064	al	un	4.800
ed	un	5.038	plane	flight	4.792
mexican	mexico	5.025	nicole	victor	4.789


Mutual Information

IMDB Corpus

- Word-pairs with highest mutual information (1-20)

w1	w2	MI	w1	w2	MI
francisco					5.437
angeles					5.405
prime					5.370
united					5.338
9	ll	5.639	un	ma	5.334
winning	award	5.597	nicole	roman	5.255
brooke	taylor	5.518	china	chinese	5.231
con	un	5.514	japan	japanese	5.204
un	la	5.512	belle	roman	5.202
belle	nicole	5.508	border	mexican	5.186

Not a perfect metric! Subject to subtleties in the collection (these are pairs of semantically unrelated Spanish words)



Implications of Term Co-occurrence

- Potential to improve search
 - ▶ word-variants co-occur: canada, canadian
 - ▶ semantically-related terms co-occur: plane, flight
 - ▶ phrases describe important concepts: san francisco
- Multiple paths to improvement
 - ▶ **document representation**: conflating variants, adding related terms, indexing phrases
 - ▶ **information need representation**: conflating variants, adding related terms, proximity operators
 - ▶ **search assistance and interactions**: query suggestions

Implications of Term Co-occurrence (1)



Advanced search

[Computer Repair | PC Repair Directory](#) 🔍

www.pcrepairdirectory.com/ - Cached

Use the PCRepairDirectory to find local **computer repair** business listings and services for **PC repair** in your area. **Laptop repair**, virus removal and other services ...

[Computer Repair Directory](#) 🔍

www.computerrepairdirectory.com/ - Cached

COMPUTER REPAIR. Need Help? Find The Best **PC Repair** Shops across the Country. Find a Technician near you Now! More than 2000 **Computer Repair** ...

[Fix My Pc FREE – Is Your Computer Running Slow?](#) 🔍

www.fixmypcfree.com/ - Cached

Fix your **computer** yourself of any problems and situations that can arise. Simple tips and information for anyone to use, retake control of your **computer**.

[Home - Franklin P. C. Repair® Computer Repair and Virus ...](#) 🔍

www.franklinpcrepair.com/ - Cached

Whether it's Home or Business **PC repairs**, installation of new computers, upgrades, advice or Virus Removal, we offer a quality service at competitive prices. ...

[Mobile Computer Wizard- San Diego Computer Repair, PC Repair ...](#) 🔍

mobilecomputerwizard.com/ - Cached

Mobile **Computer** Wizard: Fast, Reliable **Computer** Tech Support for San Diego County, including downtown, Oceanside, La Jolla, El Cajon, Escondido. We **fix** ...

Implications of Term Co-occurrence (2)

WEB IMAGES VIDEOS MAPS NEWS MORE

bing PC Repair

Pc Repair - Fast & Easy Computer Repair.
www.Staples.com/TechServices
\$69.99 PC Diagnostic at Staples®.
Find a Store Near You · One Year Protection Upgrade · All Tech Support Services

PC Repair Training | pennfoster.edu
www.pennfoster.edu
Learn PC Repair at home with expert training from Penn Foster.

Free PC Tune Up - You don't need a new PC ...
www.pcpitstop.com/freepctuneup
Your old PC needs a free tune up.

Repair PC Problems | MyFasterPC.com
MyFasterPC.com/Repair
Let My Faster PC scan and repair your computer. As Seen On TV.

Local Computer Repair
www.pcrepairdirectory.com ▾
Find local computer repair service in your area. Local PC repair businesses for computers, laptops, viruses and more.

PC Fix Cleaner Free Download PC Fix Cleaner Software - 2013 ...
pc-fix-cleaner.com ▾
Download PC Fix Cleaner software and repair for free your PC in 5 Minutes! PC Fix Cleaner is the solution

Related searches for PC Repair

Free Computer Repair Download	Do It-Yourself Laptop Repair
Free Computer Repair	Free PC Clean Up
Local Computer Repair	Best PC Repair Software

Take-Home Message

- Language use is highly varied
- However, there are statistical properties of language that are highly consistent across domains and languages
- A few terms occur very frequently and most terms occur very infrequently
- Term co-occurrences can be used to identify semantically related terms and phrases
- These statistical properties of text make search easier
- Learn them, love them, and use them to your advantage in doing automatic analysis of text