#### INLS 613 - Text Mining Assignment 2 Due: Wednesday, Feburary 22, 2023 (before class)

# 1 Objective

The goal of this homework is to give you exposure to the practice of training and testing a machine-learning model for predictive analysis of text. You will use a toolkit called LightSIDE. As in HW1, the task is to classify movie reviews into *positive* and *negative* sentiment. You will be training a Naive Bayes classifier to predict whether a movie review expresses a positive or negative opinion. The *primary* goal of the assignment is for you to learn to experiment with different feature representations and do error analysis, and to review some concepts we've covered in class.

### 2 Software Details and Data

LightSIDE is a text-mining toolkit built by Elijah Mayfield at Carnegie Mellon University. You are expected to learn how to use it as part of this exercise. The user's manual is a great place to start!<sup>1</sup> You can download and install LightSIDE on your own computers.

The training and test sets for this assignment can also be found inside the /LightSIDE/data/hw2 directory. These are smaller versions than the datasets used for Assignment #1.

## 3 LightSIDE Exercises

Complete the following exercises. Please provide your answers using complete paragraphs. Make sure you use a Naive Bayes classifier (the default classifier) and, with the exception of Exercise #5 below, make sure you use unigram features and select the "Skip stopwords in N-Grams" option.<sup>2</sup>

1. Generate a feature table using unigram features. LightSIDE provides several metrics that measure the degree of co-occurrence between a feature and a target class value (in our case, *positive* and *negative*). This and the next question focus on precision. Suppose you have the following contingency table:

	positive	negative
word <i>w</i> occurs	а	Ь
word <i>w</i> does not occur	С	d

The precision of term *w* with respect to the *positive* class is given by  $\frac{a}{(a+b)}$ , and the precision of term *w* with respect to the *negative* class is given by  $\frac{b}{(a+b)}$ .

Sort the feature table by descending order of precision with respect to the positive class. You can do this by selecting *positive* in the "Evaluations to Display" tab and then doubleclicking on the header labeled "precision". This functionality is illustrated in Figure 1.a.

<sup>&</sup>lt;sup>1</sup>http://ankara.lti.cs.cmu.edu/side/LightSide\_Researchers\_Manual.pdf

<sup>&</sup>lt;sup>2</sup>This option tells LightSIDE to remove stopwords from your unigram feature representation.

At the top of the list, you will find some terms you might expect. For example, "breathtaking" has perfect precision with respect to the *positive* class. There are, however, a few surprises. For example, "ultimately" has perfect precision with respect to the *positive* class. Choose a feature from the top of the list that you did not expect to be perfectly correlated with a particular class value and look at the instances in train.csv where the term appears. List the term, its precision value, and provide an explanation for why the term has a high co-occurrence with the target class value. Is the term associated with some language phenomenon that you did not anticipate, or is it a statistical anomaly. **(20%)** 

- 2. Now, look at the middle of the list. Here, you will find terms that have a precision of 0.5 for a given class value. In other words, these are terms that occur an equal number of times in *positive* and *negative* reviews. Again, here you will find some terms you might expect. For example, "zombies" occurs an equal number of times in *positive* and *negative* reviews. There are, however, a few surprises. For example, "depressing" (an arguably negative term) also appears an equal number of times in *positive* and *negative* reviews. Choose a feature from the middle of the list (with a precision value of about 0.50) that you did not expect to be *uncorrelated* with a particular class value and look at the instances in train.csv where the term appears. List the term, its precision value, and try to provide an explanation for why the term has a low co-occurrance with the target class value that you expected it to have a high co-occurrence with. (20%)
- 3. Train a model on train.csv and then re-apply this model to train.csv (yes, the same file). How does the accuracy of the model on train.csv (trained on train.csv and tested on train.csv) compare to its performance on test.csv (trained on train.csv and tested on test.csv)? This functionality is illustrated in Figure 1.b.

You'll notice that the model's accuracy on train.csv is not perfect. In other words, the model fails to correctly predict some instances it used to estimate its own model parameters! Use the "predict labels" functionality in LightSIDE (Figure 1.c) to output the model's predictions on train.csv. Select a false positive or false negative prediction, copy/paste it into your report, and provide an explanation for why you think the instance is particularly difficult. (20%)

4. LightSIDE allows you to set a threshold on the minimum number of training set instances that must contain a particular feature in order for that feature to make it into the feature representation (Figure 1.a).

Let's call this threshold t. If we set t = 1, then every term in the training set makes it into the feature representation. If we set t = 2, then only terms that appear in *at least* 2 training set instances make into the feature representation. If we set t = 5, then only terms that appear in *at least* 5 training set instances make into the feature representation. You should convince yourself that greater values of t lead to fewer features.

Fill out the table below with the accuracy numbers from training models with t = 1, 2, 3, 4, 5 and evaluating these models on the training set (second column) and on the test set (third column). Using LightSIDE, this will require you to construct five different *feature tables* in the 'Extract Features' tab and perform 10 train/test operations in the 'Build Models' tab.


How does the accuracy of the classifier change for these different values of this threshold on the training set and on the test set? Write a short paragraph explaining what is happening and why. (20%)

threshold	training set accuracy	test set accuracy
1	?	?
2	?	?
3	?	?
4	?	?
5	?	?

5. Explore different feature representations in order to improve the accuracy of your Naive Bayes classifier on test.csv. You can generate different feature representations by selecting different types of features from the "configuration plugin" pane (Figure 1.a) and by adjusting the threshold parameter mentioned in the previous question (Figure 1.a) . Note that LightSIDE can be slow to learn a model and apply a model when the feature representation is large. Provide a couple of paragraphs description of what you tried, what worked, and what did not work.

#### 4 Submission

Submit all your answers in the form of a report. Please submit Word and PDF formats only. As in HW1, include your best accuracy for Exercise #5 in your report.



#### (b) Model Building and Evaluation Interface

Choose the model you want to apply. You will be able to know the today's more gars can be able to select the select trained in the "Build by the target gars growth to apply. You will be able to select the select trained in the "Build by the target gars growth to apply. The target gars growth to apply. The target gars growth to apply the target gars growth to apply. The target gars growth to apply the target gars growth target gars growth to apply the target gars growth target gars growth to apply the target gars growth	You can use
Choose the model you want to apply. You will be able to select model the select test or (dee, predictor) the finite product test or (dee, predictor) the f	this button to
Model k way: Image: Sector Dataset: test.or. (data_predictor)   want to apply. Note: k way: Image: Sector Dataset: test.or. (data_predictor)   You will be able to select: Image: Sector Dataset: test.or. (data_predictor) Image: Sector Dataset: test.or. (data_predictor)   model k you want to apply. Image: Sector Dataset: test.or. (data_predictor) Image: Sector Dataset: test.or. (data_predictor)   You will be able to select: Image: Sector Dataset: test.or. (data_predictor) Image: Sector Dataset: test.or. (data_predictor)   model k trained in the "Build Image: Sector Dataset: test.or. (data_predictor) Image: Sector Dataset: test.or. (data_predictor)   in the "Build Image: Sector Dataset: test.or. (data_predictor) Image: Sector Dataset: test.or. (data_predictor)   in the "Build Image: Sector Dataset: test.or. (data_predictor) Image: Sector Dataset: test.or. (data_predictor)   in the "Build Image: Sector Dataset: test.or. (data_predictor) Image: Sector Dataset: test.or. (data_predictor)   in the "Build Image: Sector Dataset: test.or. (data_predictor) Image: Sector Dataset: test.or. (data_predictor)   in the "Build Image: Sector Dataset: test.or. (data_predictor) Image: Sector Dataset: test.or. (data_predictor)   in the "Build Image: Sector Dataset: test.or. (data_predictor) Image: Sector Dataset: test.or. (data_predictor)   in the "Build" Image: Sector Dataset: test.or. (data_predictor) </td <td></td>	
want to apply. You will be able to select models trained in the "Ruild in the "Ruild"	export this
You will be able to select models trained in the "Ruid "Ruid" "Ru	prediction data
You will be able to select models trained in the "Ruid "Ruid" "Ru	to a csy file
You Will De able to select models trained in the "Build "Build "Faces faces area of the test game, sport "Build "Faces faces area of the test game, s	
to select models trained in the "Build for the Bayes" page sport of the Bayes and the set of the Bayes and the Bay	(that you can
to select the select of the second select of the se	. ,
models trained in the "Build for the text cure to a construction of the text cure to a	open in excel)
in the "Build have been and the same hours to be a set of the same back to	,
in the "Build Kappe: 0.602 pos After some further thought about this film 1 fl	
In the Bullu I was a junior in high school when Flesh hit th	
Models" tab pos pos And I do. Peter Fak has created a role that	بالمعادة والمعامين
neg ineg Okay she's on the boat with this guy reaiz	Use this display
pos pos Engaging entry from Europe about Czech fig	to compare the
neg neg Maybe this movie was actually intended to b	to compare the
pos neg Once again Elmer is faced with the dilemma o	prediction and
neg pos Hope Floats with Sandra Bullock is a real disa	prediction and
pos pos Inarguably one of the most interesting firm	true values.
pos pos Not for those adrenaline maniacs etc. It's a g	tiue values.
Copy Validation Results to Test Data neg neg In watching this off and on for a few season	
New Data: Page And	
test.cav (dass_prediction) v X nog nog There's something going on in this film directe	
ITIDOT UTE THE Startes Store	
you want to make - Meberg from Australia and lowing the series	
predictions for. Prismovie suded soco ball could'reven pos pos Des Des Des Des Des Des Des Des Des De	
pos neg Having discovered the Ring trilogy I have be	
neg neg I want the 99 minutes of my life back that wa	
pos neg me and a couple friends form university - ab	
pos pos It came before the ten commandments land	
pos neg I thought this movie was great if you ddn't t	
pos pos I went into this film thinking I wear't going to V	
Predict New Column Name: dass_predictor) 🔬 🔄 Show Label Distribution 📄 Overwrite Columns	
😺 Get Support 🔩 Multithreaded 🛛 0.0 GB used, 1.0 GB max 📋	

(c) Prediction/Annotation Interface

Figure 1: LightSIDE Screen Shots