

Bibliography

- Aldenderfer, M. S., & Blashfield, R. K. (1984). *Cluster Analysis*. Sage Publications, Beverly Hills.
- Allan, J. (1995). Relevance feedback with too much data. In *ACM Annual Conference on Research and Development in Information Retrieval*, pp. 337–343 New York. ACM Press.
- Allan, J. (1996). Incremental relevance feedback for information filtering. In *Proceedings of the 19th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Zurich, Switzerland*, pp. 270–278 New York. ACM Press.
- Anderberg, M. R. (1973). *Cluster Analysis for Applications*. Academic Press, New York.
- Anderson, A. R., & Belnap, N. D. (1975). *Entailment: The Logic of Relevance and Necessity*. Princeton University Press.
- Bahadur, R. R. (1961). A representation of the joint distribution of response of n dichotomous items. In Solomon, H. (Ed.), *Studies in Item Analysis and Prediction*, pp. 158–168. Stanford U. Press, Stanford, CA.
- Baker, S. L. (1986). Overload, browsers, and selections. *Library and Information Science Research*, 8(4), 315–329.
- Barry, C. L. (1994). User-defined relevance criteria: An exploratory study. *Journal of the American Society for Information Science*, 45(3), 149–159.
- Beckman, F. S. (1980). *Mathematical Foundations of Programming*. Addison Wesley, Reading, Mass.
- Belkin, N. J., & Croft, W. B. (1992). Information filtering and information retrieval: Two sides of the same coin. *Communications of the ACM*, 35(12), 29–38.
- Berger, A. L., Della Pietra, V. J., & Della Pietra, S. A. (1996). A maximum entropy approach to natural language processing. *Computational Linguistics*, 22(1), 39–71.
- Bishop, C. M. (1995). *Neural Networks for Pattern Recognition*. Oxford University Press, New York.
- Blair, D. C., & Maron, M. E. (1985). An evaluation of retrieval effectiveness for a full-text document-retrieval system. *Communications of the ACM*, 28(3), 289–299.
- Boll, J. J. (1985). *Shelf Browsing, Open Access and Storage Capacity in Research Libraries*. No. 169 in Occasional Papers. U. of Illinois, Graduate School of Library Science, Urbana, IL.
- Bollmann, P., & Cherniavsky, V. (1981). Measurement-theoretical investigation of the MZ-metric. In Oddy, R., Robertson, S. E., van Rijsbergen, C. J., & Williams, P. W. (Eds.), *Information Retrieval Research*, pp. 256–267 London. Butterworths.
- Bookstein, A. (1976). Bibliometric distributions. *Library Quarterly*, 46(4), 415–423.
- Bookstein, A. (1979). Relevance. *Journal of the American Society for Information Science*, 30(5), 269–273.
- Bookstein, A. (1982). Explanation and generalization of vector models in information retrieval. In *Research and Development in Information Retrieval: Proceedings of the 5th International Conference on Information Retrieval*, pp. 118–132 Berlin. Springer-Verlag.

- Bookstein, A. (1983). Information retrieval: A sequential learning process. *Journal of the American Society for Information Science*, 34(4), 331–342.
- Bookstein, A. (1985). Implications of Boolean structure for probabilistic retrieval. In *Proceedings of the Eighth Annual International ACM SIGIR Conference on Research and Development in Information Retrieval*, pp. 11–17. ACM Press.
- Bookstein, A., & Swanson, D. (1974). Probabilistic models for automatic indexing. *Journal of the American Society for Information Science*, 25(5), 312–318.
- Bovey, J. D., & Robertson, S. E. (1984). An algorithm for weighted searching on a Boolean system. *Information Technology*, 3(2), 84–87.
- Boyce, B. R., & McLain, J. P. (1989). Entry point depth and online search using a controlled vocabulary. *Journal of the American Society for Information Science*, 40(4), 273–276.
- Brewka, B. (1991). *Nonmonotonic Reasoning: Logical Foundations of Commonsense*. Cambridge University Press, Cambridge, UK.
- Brill, E. (1994). Some advances in transformation-based part of speech tagging. In *Proceedings of the Twelfth National Conference on Artificial Intelligence (AAAI-94)*, pp. 722–727 Menlo Park, CA. AAAI Press.
- Brookes, B. (1968). The measures of information retrieval effectiveness proposed by Swets. *Journal of Documentation*, 24(1), 41–54.
- Buckles, B. P., & Petry, F. E. (1982). A fuzzy representation of data for relational databases. *Fuzzy Sets and Systems*, 7(3), 213–226.
- Buckles, B. P., & Petry, F. E. (1983). Information theoretical characterization of fuzzy relational databases. *IEEE Transactions on Systems, Man, and Cybernetics*, SMC-13(1), 74–77.
- Burgin, R., & Dillon, M. (1992). Improving disambiguation in FASIT. *Journal of the American Society for Information Science*, 43, 101–114.
- Callan, J. P. (1994). Passage-level evidence in document retrieval. In *Proceedings of the 17th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Dublin, Ireland*, pp. 302–310 New York. ACM Press.
- Callan, J. P., Lu, Z., & Croft, W. B. (1995). Searching distributed collections with inference nets. In *Proceedings of the 18th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Seattle, Washington*, pp. 21–28 New York. ACM Press.
- Charniak, E. (1993). *Statistical Language Learning*. MIT Press, Cambridge, Mass.
- Charniak, E., & McDermott, D. (1985). *Introduction to Artificial Intelligence*. Addison-Wesley, Reading, Mass.
- Chow, C., & Liu, C. (1968). Approximating discrete probability distributions with dependence trees. *IEEE Transactions on Information Theory*, IT-14(3), 462–467.
- Church, K. W. (1995). One term or two. In *Proceedings of the 18th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Seattle, Washington*, pp. 310–318 New York. ACM Press.
- Clifford, H., & Stephenson, W. (1975). *An Introduction to Numerical Classification*. Academic Press, New York.
- Cocks, T. M., & Brookes, B. C. (1986). Sichel's unification of bibliometric frequency distributions. *Journal of Information Science*, 12(1/2), 45–51.
- Conrad, J. G., & Utt, M. H. (1994). A system for discovering relationships by feature extraction from text dictionaries. In *Proceedings of the 17th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Dublin, Ireland*, pp. 260–270 New York. ACM Press.
- Conway, J. H., Sloane, N. J. A., & Wilks, A. R. (1989). Gray codes for reflection groups. *Graphs and Combinatorics*, 5, 315–325.
- Cooper, W. S. (1968). Expected search length: A single measure of retrieval effectiveness based on weak ordering action of retrieval systems. *Journal of the American Society for Information Science*, 19(1), 30–41.

- Cooper, W. S. (1973). On selecting a measure of retrieval effectiveness. *Journal of the American Society for Information Science*, 24, 87–100.
- Cooper, W. S. (1978). Indexing documents by Gedanken experimentation. *Journal of the American Society for Information Science*, 29(3), 107–119.
- Cooper, W. S. (1994). The formalism of probability theory in IR: A foundation or an encumbrance?. In *Proceedings of the 17th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Dublin, Ireland*, pp. 242–247 New York. ACM Press.
- Cooper, W. S. (1995). Some inconsistencies and misidentified modeling assumptions in probabilistic information retrieval. *ACM Transactions on Information Systems*, 13(1), 100–111.
- Cooper, W. S., & Huizinga, P. (1982). The maximum entropy principle and its application to the design of probabilistic retrieval systems. *Information Technology: Research and Development*, 1(2), 99–112.
- Cover, J. F., & Walsh, B. C. (1988). Online text retrieval via browsing. *Information Processing and Management*, 24(1), 31–37.
- Cox, D. R., & Wermuth, N. (1991). A simple approximation for bivariate and trivariate normal integrals. *International Statistical Review*, 59(2), 263–269.
- Crestani, F., & van Rijsbergen, C. J. (1995). Probability kinematics in information retrieval. In *Proceedings of the 18th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Seattle, Washington*, pp. 291–299 New York. ACM Press.
- Croft, W. B. (1977). Clustering large files of documents using the single-link method. *Journal of the American Society for Information Science*, 28(6), 341–344.
- Croft, W. B. (1986). Boolean queries and term dependencies in probabilistic retrieval models. *Journal of the American Society for Information Science*, 37(2), 71–77.
- Croft, W. B., & Harper, D. (1979). Using probabilistic models of document retrieval without relevance information. *Journal of Documentation*, 35(4), 285–295.
- De Heer, T. (1982). The application of the concept of homeosemy to natural language information retrieval. *Information Processing and Management*, 18(5), 229–236.
- Deerwester, S., Dumais, S. T., Furnas, G. W., Landauer, T. K., & Harshman, R. (1990). Indexing by latent semantic analysis. *Journal of the American Society for Information Science*, 41(6), 391–407.
- Diaz, M. R. (1981). *Topics in the Logic of Relevance*. Philosophia Verlag, Munich.
- Dorfman, J. H. (1997). *Bayesian Economics Through Numerical Methods*. Springer-Verlag, New York.
- Drezner, Z. (1992). Computation of the multivariate normal integral. *ACM Transactions on Mathematical Software*, 18(2), 470–480.
- Dunlop, M. D. (1997). Time, relevance and interaction modelling for information retrieval. In *Proceedings of the 20th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Philadelphia, Pennsylvania*, pp. 206–213. ACM Press, New York.
- Edwards, A. W. F. (1972). *Likelihood*. Cambridge, Cambridge, England.
- Efthimiadis, E. N. (1996). Query expansion. In *Annual Review of Information Science and Technology*, pp. 121–187. Information Today, Inc., Medford, NJ.
- Egan, J. P. (1975). *Signal Detection Theory and ROC Analysis*. Academic Press, New York.
- Eisenberg, M. B. (1988). Measuring relevance judgments. *Information Processing and Management*, 24(3), 373–389.
- Ellis, S. R., & Hitchcock, R. J. (1986). The emergence of Zipf's law: Spontaneous encoding optimization by users of a command language. *IEEE Transactions on Systems, Man, and Cybernetics, SMC-16*(3), 423–427.
- Evans, R. (1994). Beyond Boolean: Relevance ranking, natural language and the new search paradigm. In *Proceedings of the Fifteenth National Online Meeting*, pp. 121–128 Medford, NJ. Learned Information.

- Everett, D. M., & Carter, S. C. (1992). Topology of document retrieval systems. *Journal of the American Society for Information Science*, 43(10), 658–673.
- Fedorowicz, J. (1982). The theoretical foundation of Zipf's law and its application to the bibliographic database environment. *Journal of the American Society for Information Science*, 35(5), 285–293.
- Feys, R. (1965). *Modal Logics*. E. Nauwelaerts, Louvain.
- Fidel, R. (1992). Who needs controlled vocabulary?. *Special Libraries*, 83, 1–9.
- Fidel, R., & Crandall, M. (1997). Users' perception of the performance of a filtering system. In *Proceedings of the 20th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Philadelphia, Pennsylvania*, pp. 198–205. ACM Press, New York.
- Fillmore, C. (1977). The case for case. In Bach, E., & Harms, R. (Eds.), *Universals in Linguistic Theory*, pp. 1–88. Holt, Rinehart, and Winston, New York.
- Flores, I. (1956). Reflected number systems. *IRE Transactions on Electronic Computers*, EC-5(2), 79–82.
- Fox, E. A., & Winett, S. G. (1990). Using vector and extended Boolean matching in an expert system for selecting foster homes. *Journal of the American Society for Information Science*, 41(1), 10–26.
- Fu, K. S. (1982). *Syntactic Pattern Recognition*. Prentice-Hall, Englewood Cliffs, NJ.
- Fuhr, N. (1989). Optimum polynomial retrieval functions. In *ACM Annual Conference on Research and Development in Information Retrieval*, pp. 69–76 New York. ACM Press.
- Gärdenfors, P. (1992). Belief revision: An introduction. In Gärdenfors, P. (Ed.), *Belief Revision*, pp. 1–28. Cambridge University Press, Cambridge.
- Gebhardt, F. (1987). Text signatures by superimposed coding of letter triplets and quadruplets. *Information Systems*, 12(2), 151–156.
- Gelman, A., Carlin, J. B., Stern, H. S., & Rubin, D. B. (1995). *Bayesian Data Analysis*. Chapman and Hall, London.
- Geman, S., & Geman, D. (1984). Stochastic relaxation, Gibbs distribution, and the Bayesian restoration of images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 6, 721–741.
- Genesereth, M. R., & Nilsson, N. J. (1987). *Logical Foundations of Artificial Intelligence*. Morgan Kaufmann, Los Altos.
- Gensler, H. J. (1990). *Symbolic Logic: Classical and Advanced Systems*. Prentice Hall, Englewood Cliffs, N.J.
- Gey, F. C. (1993). *Probabilistic Dependence and Logistic Inference in Information Retrieval*. Ph.D. thesis, U. of California, Berkeley.
- Gilbert, E. N. (1958). Gray codes and paths on the n -cube. *Bell System Technical Journal*, 37, 815–826.
- Gordon, M. D., & Lenk, P. (1992). When is the probability ranking principle suboptimal?. *Journal of the American Society for Information Science*, 43(1), 1–14.
- Greiff, W. R., Croft, W. B., & Turtle, H. (1997). Computationally tractable probabilistic modeling of Boolean operators. In *Proceedings of the 20th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Philadelphia, Pennsylvania*, pp. 119–128. ACM Press, New York.
- Griffith, B. C. (1988). Exact fits to large ranked, bibliometric distributions. *Journal of the American Society for Information Science*, 39(6), 423–427.
- Gusein-Zade, S. M. (1989). Frequency distribution of letters in the Russian language. *Problems of Information Transmission*, 24(4), 338–342.
- Haas, S. W., & Losee, R. M. (1994). Looking in text windows: Their size and composition. *Information Processing and Management*, 30(5), 619–629.
- Haight, F. A. (1967). *Handbook of the Poisson Distribution*. John Wiley, New York.
- Halstead, M. H. (1977). *Elements of Software Science*. Elsevier, New York.

- Hamming, R. (1986). *Coding and Information Theory* (Second edition). Prentice-Hall, Englewood Cliffs, N.J.
- Harman, D. W. (1991). How effective is suffixing. *Journal of the American Society for Information Science*, 42(1), 7–15.
- Harter, S. P. (1975a). Probabilistic approaches to automatic keyword indexing: Part I. *Journal of the American Society for Information Science*, 26(4), 197–206.
- Harter, S. P. (1975b). Probabilistic approaches to automatic keyword indexing: Part II. an algorithm for probabilistic indexing. *Journal of the American Society for Information Science*, 26(5), 280–289.
- Heckerman, D., Geiger, D., & Chickering, D. M. (1995). Learning Bayesian networks: The combination of knowledge and statistical data. *Machine Learning*, 20(3), 197–243.
- Heine, M. H. (1973). Distance between data as an objective measure of retrieval effectiveness. *Information Processing and Management*, 9, 181–198.
- Huestis, J. C. (1988). Clustering LC classification numbers in an online catalog for improved browsability. *Information Technology and Libraries*, 7(4), 381–393.
- Hughes, G. E., & Cresswell, M. J. (1968). *An Introduction to Modal Logic*. Methuen, London.
- Hull, D. (1994). Improving text retrieval for the routing problem using latent semantic indexing. In *Proceedings of the 17th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Dublin, Ireland*, pp. 282–291 New York. ACM Press.
- Hull, D. A., Pedersen, J. O., & Schutze, H. (1996). Method combination for document filtering. In *Proceedings of the 19th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Zurich, Switzerland*, pp. 279–287. ACM Press, New York.
- Hurt, C. D. (1998). Nonmonotonic logic for use in information retrieval: An exploratory paper. *Information Processing and Management*, 34(1), 35–41.
- Hwang, P., & Burgers, W. P. (1997). Properties of trust: An analytical view. *Organizational Behavior and Human Decision Processes*, 69(1), 67–73.
- Iivonen, M., & Sonnenwald, D. H. (1998). From translation to navigation of different discourses: A model of search term selection during the pre-online stage of the search process. *Journal of the American Society for Information Science*, 49(4), 312–326.
- Jacquemin, C. (1996). What is the tree that we see through the window: a linguistic approach to windowing and term variation. *Information Processing and Management*, 32, 445–448.
- Johnson, N. L., & Kotz, S. (1972). *Distributions in Statistics: Continuous Multivariate Distributions*. John Wiley & Sons, Inc., New York.
- Johnson, N. L., Kotz, S., & Balakrishnan, N. (1997). *Discrete Multivariate Distributions*. John Wiley & Sons, Inc., New York.
- Johnson, W. O., & Kokolakis, G. E. (1994). Bayesian classification based on multivariate binary data. *J. of Statistical Planning and Inference*, 41, 21–35.
- Kantor, P. B. (1984). Maximum entropy and the optimal design of automated information retrieval systems. *Information Technology: Research and Development*, 3(2), 88–94.
- Kneale, W., & Kneale, M. (1984). *The Development of Logic*. Clarendon Press, Oxford.
- Knill, K., & Young, S. (1997). Hidden Markov models in speech and language processing. In Young, S., & Bloothoof, G. (Eds.), *Corpus-Based Methods in Language and Speech Processing*, pp. 27–68. Kluwer, Dordrecht.
- Knuth, D. E. (1975). *Fundamental Algorithms* (Second edition). Addison Wesley, Reading, Mass.
- Kraaij, W., & Pohlmann, R. (1996). Viewing stemming as recall enhancement. In *Proceedings of the 19th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Zurich, Switzerland*, pp. 40–48 New York. ACM Press.
- Kraft, D. H., & Bookstein, A. (1978). Evaluation of information retrieval systems: A decision theory approach. *Journal of the American Society for Information Science*, 29(1), 31–40.
- Kraft, D. H., & Lee, T. (1979). Stopping rules and their effect on expected search length. *Information Processing and Management*, 15(1), 47–58.

- Kraft, D. H., & Waller, W. (1981). A Bayesian approach to user stopping rules for information retrieval systems. *Information Processing and Management*, 17(6), 349–361.
- Krovetz, R., & Croft, W. B. (1992). Lexical ambiguity and information retrieval. *ACM Transactions on Information Systems*, 10, 115–141.
- Lakoff, G., & Nunez, R. (2000). *Where Mathematics Comes From*. Basic Books, New York.
- Lalmas, M. (1998). Logical models in information retrieval: Introduction and overview. *Information Processing and Management*, 34(1), 19–33.
- Lam, W., Mukhopadhyay, S., Mostafa, J., & Palakal, M. (1996). Detection of shifts in user interests for personalized information filtering. In *Proceedings of the 19th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Zurich, Switzerland*, pp. 317–325 New York. ACM Press.
- Lancaster, F. W. (1968). *Information Retrieval Systems: Characteristics, Testing, and Evaluation*. Wiley, New York.
- Lance, G. N., & Williams, W. T. (1968). Note on a new information-statistic classificatory program. *Computer Journal*, 11, 195.
- Lance, G., & Williams, W. (1967). A general theory of classificatory sorting strategies. I. Hierarchical systems. *The Computer Journal*, 9(4), 373–380.
- Lee, H. C., & Fu, K. S. (1972). A stochastic syntax analysis procedure and its application to pattern classification. *IEEE Transactions on Computers*, C-21(7), 660–666.
- Lee, J. H. (1994). Properties of extended Boolean models in information retrieval. In *ACM Annual Conference on Research and Development in Information Retrieval*, pp. 182–190 New York. ACM Press.
- Lee, P. M. (1989). *Bayesian Statistics: An Introduction*. Oxford University Press, New York.
- Lee, T. T. (1987). An information theoretic analysis of relational databases, parts I and II. *IEEE Transactions on Software Engineering*, SE-13(10), 1049–1072.
- Lenk, P. J. (1990). Bayesian predictive distributions under multinomial sampling. In Geisser, S., Hodges, J. S., Press, S. J., & Zellner, A. (Eds.), *Bayesian and Likelihood Methods in Statistics and Econometrics*, pp. 357–370. North-Holland, Amsterdam.
- Levenstein, V. I. (1966). Binary codes capable of correcting deletions, insertions and reversals. *Cybernet. Control Theor.*, 10, 707–710.
- Lewis, D. D., & Sparck-Jones, K. (1996). Natural language processing for information retrieval. *Communications of the ACM*, 39(1), 92–101.
- Li, W. (1989). Mutual information functions of natural language texts. Tech. rep. 89–008, Santa Fe Institute, New Mexico.
- Littman, M. L., & Jiang, F. (1998). A comparison of two corpus-based methods for translingual information retrieval. CS Department, Duke University.
- Losee, R. M. (1987). Probabilistic retrieval and coordination level matching. *Journal of the American Society for Information Science*, 38(4), 239–244.
- Losee, R. M. (1988). Parameter estimation for probabilistic document retrieval models. *Journal of the American Society for Information Science*, 39(1), 8–16.
- Losee, R. M. (1989). Minimizing information overload: The ranking of electronic messages. *Journal of Information Science*, 15(3), 179–189.
- Losee, R. M. (1990). *The Science of Information: Measurement and Applications*. Academic Press, San Diego.
- Losee, R. M. (1993a). The relative shelf location of circulated books: A study of classification, users, and browsing. *Library Resources & Technical Services*, 37(2), 197–209.
- Losee, R. M. (1993b). Seven fundamental questions for the science of library classification. *Knowledge Organization*, 20(2), 65–70.
- Losee, R. M. (1994a). Term dependence: Truncating the Bahadur Lazarsfeld expansion. *Information Processing and Management*, 30(2), 293–303.
- Losee, R. M. (1994b). Upper bounds for retrieval performance and their use measuring performance and generating optimal Boolean queries: Can it get any better than this?. *Information Processing and Management*, 30(2), 193–203.

- Losee, R. M. (1996). Text windows and phrases differing by discipline, location in document, and syntactic structure. *Information Processing and Management*, 32(6), 747–767.
- Losee, R. M. (1997a). Browsing document collections: Automatically organizing digital libraries and hypermedia using the Gray code. *Information Processing and Management*, 33(2), 175–192.
- Losee, R. M. (1997b). Comparing Boolean and probabilistic information retrieval systems across queries and disciplines. *Journal of the American Society for Information Science*, 48(2), 143–156.
- Losee, R. M. (1997c). A discipline independent definition of information. *Journal of the American Society for Information Science*, 48(3), 254–269.
- Losee, R. M., & Bookstein, A. (1988). Integrating Boolean queries in conjunctive normal form with probabilistic retrieval models. *Information Processing and Management*, 24(3), 315–321.
- Losee, R. M., Bookstein, A., & Yu, C. T. (1986). Probabilistic models for document retrieval: A comparison of performance on experimental and synthetic databases. In *ACM Annual Conference on Research and Development in Information Retrieval*, pp. 258–264.
- Luhn, H. (1958). The automatic creation of literature abstracts. *IBM Journal of Research and Development*, 2(2), 159–165. The article is also included in *H. P. Luhn: Pioneer of Information Science, Selected Works*.
- MacKay, D. J. C. (1996). Equivalence of linear Boltzmann chains and hidden Markov models. *Neural Computation*, 8(1), 178–181.
- Mandelbrot, B. (1961). On the theory of word frequencies and on related Markovian models of discourse. In *Structure of Language and Its Mathematical Aspects: Proceedings of Symposia in Applied Mathematics, vol. XII*, pp. 190–219. American Mathematical Society.
- Marchionini, G. (1987). An invitation to browse. *Canadian Journal of Information Science*, 12(3/4), 69–79.
- Margulis, E. L. (1993). Modelling documents with multiple Poisson distributions. *Information Processing and Management*, 29, 215–227.
- Maritz, J. S. (1970). *Empirical Bayes Methods*. Methuen, London.
- Markowitz, J. A. (1977). *A Look at Fuzzy Categories*. Ph.D. thesis, Northwestern University.
- Maron, M. E., & Kuhns, J. L. (1960). On relevance, probabilistic indexing, and information retrieval. *Journal of the ACM*, 7, 216–244.
- Martin, M. C. (1995). Situating relevance in information retrieval: Every small step counts. Master's thesis, U. of North Carolina, Chapel Hill, NC.
- McCarthy, J. (1980). Circumspection—a form of non-monotonic reasoning. *Artificial Intelligence*, 13, 27–39.
- Metropolis, N., & Ulam, S. (1949). The Monte Carlo method. *Journal of the American Statistical Association*, 44, 335–341.
- Metzing, D. (Ed.). (1979). *Frame Conceptions and Text Understanding*. Walter De Gruyter and Co., Berlin.
- Millman, R. S., & Parker, G. D. (1981). *Geometry: A Metric Approach with Models*. Springer-Verlag, New York.
- Moore, R. C. (1985). Semantical considerations on nonmonotonic logic. *Artificial Intelligence*, 25(1), 75–94.
- Morse, P. M. (1970). Search theory and browsing. *Library Quarterly*, 40(4), 391–408.
- Mullin, J. K. (1987). Accessing textual documents using compressed indexes of arrays of small Bloom filters. *The Computer Journal*, 30(4), 343–348.
- Myers, E. W., & Miller, W. (1988). Optimal alignments in linear space. *Computer Applications in Biosciences*, 4, 11–17.
- Negoita, C. V. (1973). On the notion of relevance in information retrieval. *Kybernetes*, 2, 161–165.
- Ney, H. (1997). Corpus-based statistical methods in speech and language processing. In Young, S., & Bloothoof, G. (Eds.), *Corpus-Based Methods in Language and Speech Processing*, pp. 1–26. Kluwer, Dordrecht.

- Ng, K.-C., & Abramson, B. (1990). Uncertainty management in expert systems. *IEEE Expert—Intelligent Systems & Their Applications*, 5(2), 29–48.
- Nie, J. (1989). An information retrieval model based on modal logic. *Information Processing and Management*, 25(5), 477–491.
- Nilsson, N. J. (1990). Probabilistic logic. In Shafer, G., & Pearl, J. (Eds.), *Readings in Uncertain Reasoning*, pp. 680–688. Morgan Kaufmann, San Mateo, CA.
- O Ruanaidh, J. J. K., & Fitzgerald, W. J. (1996). *Numerical Bayesian Methods Applied to Signal Processing*. Springer-Verlag, New York.
- Paice, C. D. (1994). An evaluation method for stemming algorithms. In *Proceedings of the 17th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Dublin, Ireland*, pp. 42–50 New York. ACM Press.
- Pancha, P., & El Zarki, M. (1994). MPEG coding for variable bit rate video transmission. *IEEE Communication*, 32(5), 54–66.
- Pao, M. L. (1978). Automatic text analysis based on transition phenomena of word occurrences. *Journal of the American Society for Information Science*, 29(3), 121–124.
- Partee, B. H., Meulen, A. t., & Wall, R. E. (1990). *Mathematical Methods in Linguistics*. Kluwer, Dordrecht, The Netherlands.
- Pitts, C. G. C. (1972). *Introduction to Metric Spaces*. Oliver and Boyd, Edinburgh.
- Polson, N. (1996). Convergence of Markov Chain Monte Carlo algorithms. In *Proceedings of the Fifth Valencia International Conference on Bayesian Statistics*, pp. 297–322. Oxford University Press, New York.
- Popovic, M., & Willett, P. (1992). The effectiveness of stemming for natural-language access to Slovene textual data. *Journal of the American Society for Information Science*, 43(5), 384–390.
- Porter, M. F. (1980). An algorithm for suffix stripping. *Program*, 14(3), 130–137.
- Prather, R. E. (1988). Comparison and extension of theories of Zipf and Halstead. *Computer Journal*, 31(7), 248–252.
- Pratt, W., Raiffa, H., & Schlaifer, R. (1995). *Introduction to Statistical Decision Theory*. MIT Press, Cambridge, Mass.
- Press, S. J. (1972). *Applied Multivariate Analysis*. Holt, New York.
- Prior, A. N. (1967). Modal logic. In Edwards, P. (Ed.), *The Encyclopedia of Philosophy*, Vol. 5, pp. 5–12. Macmillan, New York.
- Przymusiński, T. C. (1990). Non-monotonic reasoning versus logic programming: a new perspective. In Partridge, D., & Wilks, Y. (Eds.), *The Foundations of Artificial Intelligence*, pp. 49–71. Cambridge U. Press.
- Radecki, T. (1979). Fuzzy set theoretical approach to document retrieval. *Information Processing and Management*, 15, 247–259.
- Radecki, T. (1982). A probabilistic approach to information retrieval in systems with Boolean search request formulations. *Journal of the American Society for Information Science*, 33(6), 365–370.
- Raghavan, V. V., Shi, H.-P., & Yu, C. T. (1983). Evaluation of the 2-Poisson model as a basis for using term frequency data in searching. In *ACM Annual Conference on Research and Development in Information Retrieval*, pp. 88–100 New York. ACM Press.
- Ramsay, A. (1988). *Formal Methods in Artificial Intelligence*. Cambridge U. Press.
- Rapoport, A. (1982). Zipf's law re-visited. *Quantitative Linguistics*, 16(1), 1–28.
- Rapoport, A. (1983). *Mathematical Models in the Social and Behavioral Sciences*. Wiley-Interscience, New York.
- Reiter, R. (1980). Equality and domain closure in first order logic data bases. *Journal of the ACM*, 27, 235–249.
- Reiter, R. (1990). Nonmonotonic reasoning. In Shafer, G., & Pearl, J. (Eds.), *Readings in Uncertain Reasoning*, pp. 637–656. Morgan Kaufmann, San Mateo, CA.

- Resnick, P., & Varian, H. R. (1997). Recommender systems. *Communications of the ACM*, 40(3), 56–58.
- Ribeiro, B. A. N., & Muntz, R. (1996). A belief network model for IR. In *Proceedings of the 19th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Zurich, Switzerland*, pp. 253–260 New York. ACM Press.
- Robertson, S. E., & Thompson, C. L. (1990). Weighted searching: the CIRT experiment. In *Informatics 10: Prospects for Intelligent Retrieval*, pp. 153–166. ASLIB, London.
- Robertson, S. E., & Walker, S. (1994). Some simple effective approximations to the 2-Poisson model for probabilistic weighted retrieval. In *Proceedings of the 17th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Dublin, Ireland*, pp. 232–241 New York. ACM Press.
- Robertson, S. E. (1977). The probability ranking principle in IR. *Journal of Documentation*, 33(4), 294–304.
- Robertson, S. E., & Sparck Jones, K. (1976). Relevance weighting of search terms. *Journal of the American Society for Information Science*, 27, 129–146.
- Robertson, S. E., Van Rijsbergen, C. J., & Porter, M. (1981). Probabilistic models of indexing and searching. In Oddy, R., Robertson, S. E., van Rijsbergen, C. J., & Williams, P. W. (Eds.), *Information Retrieval Research*, pp. 35–56 London. Butterworths.
- Ross, C. (1999). Finding without seeking: The information encounter in the context of reading for pleasure. *Information Processing and Management*, 35(6), 783–799.
- Rowe, N. C. (1988). *Artificial Intelligence Through Prolog*. Prentice Hall, Englewood Cliffs, N.J.
- Russell, B. (1906). The theory of implication. *American Journal of Mathematics*, 28, 159–202.
- Sager, N. (1981a). Information structures in texts of a sublanguage. In *Proceedings of the 44th ASIS Annual Meeting*, pp. 199–201 White Plains, NY. Knowledge Industry Publications.
- Sager, N. (1981b). *Natural Language Information Processing: A Computer Grammar of English and Its Applications*. Addison-Wesley, Reading, Mass.
- Sainsbury, M. (1991). *Logical Forms: An Introduction to Philosophical Logic*. Blackwell, Oxford, UK.
- Salton, G., Wong, A., & Yu, C. T. (1976). Automatic indexing using term discrimination and term precision measurements. *Information Processing and Management*, 12(1), 43–51.
- Salton, G. (1984). The use of extended Boolean logic in information retrieval. Tech. rep. TR 84–588, Cornell University, Computer Science Dept., Ithaca, N.Y.
- Salton, G., & McGill, M. (1983). *Introduction to Modern Information Retrieval*. McGraw-Hill, New York.
- Sanderson, M. (1994). Word sense disambiguation and information retrieval. In *Proceedings of the 17th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Dublin, Ireland*, pp. 142–151 New York. ACM Press.
- Sanford, D. H. (1989). *If P, then Q: Conditionals and the Foundations of Reasoning*. Routledge, London.
- Saracevic, T. (1991). Individual differences in organizing, searching and retrieving information. In Griffiths, J. M. (Ed.), *Proceedings of the 54th ASIS Annual Meeting*, Vol. 28, pp. 82–86.
- Saul, L. K., & Jordan, M. I. (1995). Boltzmann chains and hidden Markov models. In Tesauro, G., Touretzky, D. S., & Leen, T. K. (Eds.), *Advances in Neural Information Processing Systems*, Vol. 7, pp. 435–442. MIT Press, Cambridge, Mass.
- Schamber, L. (1994). Relevance and information behavior. In Williams, M. E. (Ed.), *Annual Review of Information Science and Technology*, Vol. 29, pp. 3–48. American Society for Information Science, Washington, D.C.
- Schamber, L., Eisenberg, M., & Nilan, M. S. (1990). A re-examination of relevance: Toward a dynamic, situational definition. *Information Processing and Management*, 26(6), 755–776.
- Schuegraf, E. J., & Heaps, H. S. (1976). Query processing in a retrospective document retrieval system that uses word fragments as language elements. *Information Processing and Management*, 12(4), 283–292.

- Schutze, H., Hull, D. A., & Pedersen, J. O. (1995). A comparison of classifiers and document representations for the routing problem. In *Proceedings of the 18th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Seattle, Washington*, pp. 229–237 New York. ACM Press.
- Schweizer, B., & Sklar, A. (1963). Associative functions and abstract semigroups. *Publicationes Mathematicae Debrecen*, 10, 69–81.
- Schweizer, B., & Sklar, A. (1983). *Probabilistic Metric Spaces*. North-Holland, New York.
- Sebastiani, F. (1998). On the role of logic in information retrieval. *Information Processing and Management*, 34(1), 1–18.
- Shaw, Jr., W. M. (1986). On the foundation of evaluation. *Journal of the American Society for Information Science*, 37(5), 346–348.
- Shaw, Jr., W. M. (1995). Term-relevance computation and perfect retrieval performance. *Information Processing and Management*, 31(4), 491–498.
- Shaw, Jr., W. M., Burgin, R., & Howell, P. (1997). Performance standards and evaluations in IR test collections: Vector-space and other retrieval models. *Information Processing and Management*, 33(1), 15–36.
- Shortliffe, E. H., & Buchanan, B. G. (1990). A model of inexact reasoning in medicine. In Shafer, G., & Pearl, J. (Eds.), *Readings in Uncertain Reasoning*, pp. 259–273. Morgan Kaufmann, San Mateo, CA.
- Shreider, Y. A. (1974). *What is Distance?* U. of Chicago Press, Chicago.
- Sichel, H. S. (1985). A bibliometric system which really Works. *Journal of the American Society for Information Science*, 36(5), 314–321.
- Simon, H. A. (1955). On a class of skew distribution functions. *Biometrika*, 42, 425–440.
- Singhal, A., Buckley, C., & Mitra, M. (1996). Pivoted document length normalization. In *Proceedings of the 19th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, Zurich, Switzerland*, pp. 21–29 New York. ACM Press.
- Smeaton, A. F. (1984). Relevance feedback and a fuzzy set of search terms in an information retrieval system. *Information Technology: Research and Development*, 3(1), 15–23.
- Sneath, P. H. A., & Sokal, R. R. (1973). *Numerical Taxonomy: the Principles and Practices of Numerical Classification*. W. H. Freeman, San Francisco.
- Sokal, R. R., & Sneath, P. H. A. (1963). *Principles of Numerical Taxonomy*. W. H. Freeman, San Francisco.
- Sombé, L. (1990). Reasoning under incomplete information in artificial intelligence. *International Journal of Intelligent Systems*, 5(4), 323–472.
- Sparck Jones, K. (1972). A statistical interpretation of term specificity and its application in retrieval. *Journal of Documentation*, 28(1), 11–21.
- Spink, A., & Losee, R. (1996). Feedback in information retrieval. In *Annual Review of Information Science and Technology*, pp. 33–77. Information Today, Inc., Medford, NJ.
- Srinivasan, P. (1990). On generalizing the two-Poisson model. *Journal of the American Society for Information Science*, 41(1), 61–66.
- Stone, D., & Rubinoff, M. (1968). Statistical generation of a technical vocabulary. *American Documentation*, 19(4), 411–412.
- Strzalowski, T. (1995). Natural language information retrieval. *Information Processing and Management*, 31(3), 397–417.
- Svenonius, E. (1986). Unanswered questions in the design of controlled vocabularies. *Journal of the American Society for Information Science*, 37(5), 331–340.
- Swanson, D. R. (1977). Information retrieval as a trial-and-error process. *Library Quarterly*, 47(2), 128–148.
- Swanson, D. R. (1986). Subjective versus objective relevance in bibliographic retrieval systems. *Library Quarterly*, 56(4), 389–398.
- Swets, J. A. (1969). Effectiveness of information retrieval methods. *American Documentation*, 20(1), 72–89.